



## Epilepsy

Epilepsy (seizure disorder) is a neurological disorder resulting from abnormal electrical activity of the brain. Epilepsy may be acquired or idiopathic. Epilepsy is termed idiopathic if there is no evidence of an organic brain lesion. Causes of acquired epilepsy include: genetic and birth factors, infection, toxins, alcohol withdrawal, trauma, circulatory disorders, metabolic disorders, tumors and degenerative disease. A febrile seizure is an episode that occurs with a high fever. In children under age 5, febrile seizures have no medical consequence. However, a febrile seizure can be the first epileptic attack in those children who have a family history of epilepsy and experience the initial seizure after age 5.

Seizure Type	Pattern	Definition
Complex Partial Seizure	Partial/Localized	Also called psychomotor seizure or temporal lobe seizure. These are behavior seizures where involuntary movements occur along with loss of consciousness.
Tonic-Clonic Seizure	Generalized	Characterized by loss of consciousness and rhythmic, generalized involuntary contractions and relaxation of muscles.
Absence Seizure	Generalized	Episode characterized by a brief lapse of consciousness that may be so fleeting that the affected person may be unaware of the seizure.
Simple Partial (Myoclonic) Seizure	Partial/Localized	Characterized by involuntary contractions of muscles of the extremities, trunk or face without loss of consciousness.

A number of drugs are available and can control most seizures, and many epileptics must take these medications throughout their lives. All drugs, however, have some side effects. Certain drugs are preferred for the control of particular seizure types and some epileptics must take more than one medication in order to control their seizures. If someone has been seizure-free for a certain amount of time, often four years, the physician and patient may decide to discontinue medication for a trial period.

Features associated with a poorer prognosis include: seizures not well controlled with medication, poor compliance with their treatment plan, need for hospitalization or surgery and continued use of alcohol in alcohol related seizures. **Status epilepticus** is a severe form of seizures that is characterized by frequent, generalized convulsions and failure to regain consciousness between attacks which requires hospital admission. **Metabolic brain disease** is a term used when systemic disease such as kidney failure, liver failure, electrolyte abnormality or low blood sugar can cause brain dysfunction including seizures. The life risk in these seizures depends on the underlying condition.

This material is intended for insurance informational purposes only and is not personal medical advice for clients.

This material is designed to provide general information in regard to the subject matter covered. It should be used with the understanding that we are not rendering legal, accounting, or tax advice. Such services should be provided by the client's own advisor. Accordingly, any information in this document cannot be used by any taxpayer for purposes of avoiding penalties under the Internal Revenue Code.

This marketing material is subject to an expiration date, and use of this material must be discontinued as of the expiration date.

### Securities and Insurance Products:

Not Insured by FDIC or Any Federal Government Agency.  
May Lose Value.

Not a Deposit of or Guaranteed by Any Bank or Bank Affiliate.

**FOR INTERNAL USE ONLY. NOT FOR USE WITH THE PUBLIC.**

Epilepsy without any other significant impairment is rated as follows:

**Epilepsy Schedule**

Complex Partial (Consciousness Impaired)	A
Generalized Tonic-Clonic	A
Generalized Absence	B
Simple Partial (Consciousness Not Impaired)	B
Metabolic Brain Disease	C
Status Epilepticus	C

<b>Epilepsy Schedule</b>	<b>Underwriting Table</b>
<b>Schedule A</b> - adequately investigated, well controlled, on treatment Within 6 months of diagnosis Within 2 years of last seizure 3rd - 5th year After 5th year Any mental deterioration or personality changes, or more than 6 seizures per year	Postpone Table D Table B  Decline
<b>Schedule B</b> Within 2 years of last seizure After 2 years	Table B Non-rated
<b>Schedule C</b> Febrile Seizures - under age five, not more than two isolated attacks, no family history of seizure disorder, normal development, no sequelae Others, epilepsy suspected	Usually Decline  Non-rated  Refer to Epilepsy Schedule A

*To get an idea of how a client with Epilepsy would be viewed in the underwriting process, feel free to use the Ask "Rx" pert underwriter on the attached page for an informal quote.*

## Epilepsy - Ask “Rx” -pert Underwriter (*ask our experts*)

Producer \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_

Client \_\_\_\_\_ Age/DOB \_\_\_\_\_ Sex \_\_\_\_\_

If your client has a history of Epilepsy, please answer the following:

1. Please list date of first diagnosis/type of seizure: \_\_\_\_\_

2. Please note type of seizure:

- Complex/Partial Seizure
- Tonic-Clonic Seizure
- Absense Seizure
- Myoclonic Seizure

3. Please indicate the number or frequency of episodes and date of last episode:  
\_\_\_\_\_

4. Is your client on any medications?

- yes, please give details \_\_\_\_\_
- no

5. Has your client been hospitalized for treatment of epilepsy?

- yes, please give details \_\_\_\_\_
- no

6. Has your client smoked cigarettes in the last 12 months?

- yes, please give details \_\_\_\_\_
- no

7. Does your client have any other major health problems (ex: heart disease, etc.)?

- yes, please give details \_\_\_\_\_
- no

After reading the Rx for Success on *Epilepsy*, please feel free to use this *Ask “Rx” pert underwriter* for an informal quote.